



WESTERLY 02 and WM150 type replacement panels 1:1 artwork




power switch detail



Switches are fitted with 5 or 10 amp circuit breakers' they can also be fitted with 2 x 5 amp circuit breaker, providing two independent circuits controlled by one switch. Remote circuit breakers are available rated 20A, 30A, 40A and 55 amp, operated and displayed on panel switch as per a standard 10 amp output.


Switch legends are back lite white,
When switch is on a small blue LED dot is visible.
Circuit breaker trip is indicated by a red LED dot.

optional 2B display




Centre ammeter bar shows net amps going in / from service battery, choice of scale. The dot below shows polarity, red, green or non.
Water level shows fresh water tank level as a dot, empty - full on ammeter scale.
Link start allows the engine to start via service battery via **Powercentre** VSR, timed period.

battery capacity guide 2B display




optional R display 1, 2, both rotary



display ... voltage for two battery banks off load, provides battery capacity indication and reserve in bank that is not in use, plus re-charge voltage. Centre bar graph provides voltage level indication for battery in use, with 50% level warning.
Hi voltage alarm drive for re-charge high voltage faults.

Option for VSR split charge that monitors primary power feed, to charge battery not in use from alternator or second charge source. VSR electronics shut down when the batteries are isolated.


navigation lights



Boat mimic indicates when power is supplied to nav light, not that it is illuminated

If Powercentre split charge system is fitted this allows the engine to start from the service bank, for a timed period.

Fresh water option allows fresh water tank level to be displayed on bar-graph display.



Switches are inter-locked, i.e. Tri light cannot be shown with Bi-light on, legends are back lite white, when switch is on a small blue LED dot is visible, a circuit breaker trip is indicated by a red LED dot. If nav or Bi light's are selected a feed is provided for compass and instrument lights

Westerly type W150-3 panel

Fitted to Seahawk, Merlin, Corsair, Fulmar, Falcon.

Replaces 150 mm high panels supplied by **Kdd powercentre** with split charge relay rated at 60 amp.

W150-01..... boats with 1, 2, both rotary switch

W150-02 ... up-grade for boats with split charge fitted 100 or 200 amp

W150-03 ... standard replacement for boats with split charge system


tri-light 5 amp
 anchor light5 amp
 steaming 5 amp
 nav light bi 5 amp
 stern 5 amp
 deck light10 amp
 comp light feed nav / tri light

cabin lights 10 amp
 camin lights10 or 5 + 5 amp
 water pump 10 amp
 shower pump .. 10 amp
 fridge 10 amp


VHF 10 amp
 inst 5 + 5 amp
 nav 5 + 5 amp
 equip 10 amp
 aux power ... 10 amp

150 mm x 275 mm

WESTERLY


DC power




12 volt DC

navigation lights _____


power _____




tri




cabin lights




VHF




anchor




cabin lights




inst




steam




water pump




nav




nav




shower pump




equip



deck



fridge



aux power

Westerly type W150-02 panel

Fitted to Seahawk, Merlin, Corsair, Fulmar, Falcon.

Replaces 150 mm high panels supplied by **Kdd powercentre**
option for uprated VSR split charge 100 or 200 amp.

W150-01..... boats with 1, 2, both rotary switch

W150-02 ... up-grade for boats with split charge fitted

W150-03 ... standard replacement for boats with split charge system 60 amp



tri-light 5 amp
 anchor light5 amp
 steaming 5 amp
 nav light bi 5 amp
 stern 5 amp
 deck light10 amp
 comp light feed nav / tri light

cabin lights 10 amp
 camin lights10 or 5 + 5 amp
 water pump 10 amp
 shower pump .. 10 amp
 fridge 10 amp

VHF 10 amp
 inst 5 + 5 amp
 nav 5 + 5 amp
 equip 10 amp
 aux power ... 10 amp

150 mm x 275 mm

WESTERLY

link start




fresh water




12 volt DC

navigation lights


power




tri




cabin lights




VHF




anchor




cabin lights




inst




steam




water pump




nav




nav




shower pump




equip



deck



fridge



aux power

Westerly type WM-01 panel

Fitted to Merlin,

- WM150-01..... boats with 1, 2, both rotary switch
- WM150-02 ... 100 amp up-grade for boats with split charge fitted
- WM150-03 ... standard replacement for boats with original split charge system 60 amp

- tri-light 5 amp
- anchor light 5 amp
- steaming 5 amp
- nav light bi 5 amp
- stern 5 amp
- deck light 10 amp
- comp light feed nav / tri light

- equipment 10 amp
- cabin lights 5 + 5 amp
- nav equip 5 + 5 amp
- sailing inst 5 + 5 amp
- aux 10 amp

150 mm x 235 mm

